

DIREKTRONIK

TRMS DIGITAL MULTIMETER 1000Vac/dc & BLUETOOTH

Item 20114276




HVAC



Industry



- True RMS measurements
- LCD Display (6000 counts)
- AC/DC Voltage up to 1000 V
- AC/DC current up to 400mA
- Micro amperes Measurement
- Resistance, frequency, capacitance, temperature, diode test, continuity test.
- Non contact voltage detection (Adjustable sensitivity)
- High Frequency Rejection
- LoZ mode
- Autoranging
- Bargraphy display(60 segments)
- Datalogging (4000 registers)
- Bluetooth connectivity through *KPS Link APP*
- Built-in magnet sticker
- Safety rating: CAT IV 600V/CAT III 1000V



DIREKTRONIK

TRMS DIGITAL MULTIMETER 1000Vac/dc & BLUETOOTH

General	
Display	6000 counts
Auto power off	✓
Backlight	✓
Bargraph	✓
REL	✓
HOLD	✓
Diode and continuity test	✓
Auto-ranging	✓
Non Contact Voltage Detection	✓
LoZ mode	✓
High Frequency Rejection	✓
Dimensions	82x165x46mm
Weight	430g
Batteries	NEDA 15A/IEC LR6, 2*1,5V
Wireless Connectivity	Bluetooth
Data logging	4000 Registers
Standars	EC 61010-1, IEC/EN61010-2-033
Desing	Holster with probe holder, tilt stand and magnetic sticker
Safety rating	CAT IV 600V, CAT III 1000V
Accesories included	Standard test leads, thermocouple, batteries, user manual

DIREKTRONIK

TRMS DIGITAL MULTIMETER 1000Vac/dc & BLUETOOTH

Specs	
TRMS	✓
DC Voltage (mV)	600mV
DC Voltage (V)	1000V
AC Voltage (V)	1000V
Low Current (μ Aac/dc)	400mA
Frequency	100kHz
Resistance	40M Ω
Diode	1,5V
Continuity	✓
Capacitance	10mF
Temperature	-40°C ~ 400°C

Product Code Information	
SKU	KPSDMM3500BTCBINT
EAN code	8435394886381
UPC code	810053676899
Pcs/export carton	15