

SN-NVR3804E1-P4-J

4CH 1U 1HDD 4CH PoE NVR



Key Features


- Up to 4ch IP cameras access
- Up to 8MP resolution for live view and recording
- Intelligent analysis by NVR: Intrusion (support the accurate detection of vehicle and human)
- 1 SATA hard disk up to 12TB
- 1 RJ45 10/100Mbps network interface
- 4ch POE ports
- Smart search & playback
- Support cloud upgrade


Specification

Video Input		
IP Camera Input	4 Channel	
Incoming Bandwidth	40 Mbps	
Outgoing Bandwidth	40 Mbps	
Video Output		
HDMI Output	3840×2160,1920×1080, 1280×1024, 1024×768	
VGA Output	1920×1080, 1280×1024, 1024×768	
Decoding Capacity	1ch 8MP, 4ch 1080P@30fps	
Dual Stream	Support	
Multi-screen Display	1/4	
Recoding		
Resolution	8MP, 6MP, 5MP, 4MP, 3MP, 1080P, 720P, D1 etc.	
Recording Mode	Manual, Schedule (Regular, Continuous), Event	
Trigger Events	Motion Detection, Video Loss, Alarm in, IVS	
Playback and Backup		
Sync Playback	4/1	
Search Mode	Time /Date, Alarm, Picture grid, Event	
Search Mode Backup Mode	Time /Date, Alarm, Picture grid, Event USB Device, Network	
Backup Mode		
Backup Mode Alarm	USB Device, Network Motion Detection, Video Loss, Alarm in, Alarm	
Backup Mode Alarm General Alarm	Motion Detection, Video Loss, Alarm in, Alarm out, IVS (by camera) Disk Alarm, IP Address Conflict, Network	
Backup Mode Alarm General Alarm Abnormal Alarm	USB Device, Network Motion Detection, Video Loss, Alarm in, Alarm out, IVS (by camera) Disk Alarm, IP Address Conflict, Network Disconnect Intrusion detection (support the accurate	
Backup Mode Alarm General Alarm Abnormal Alarm Intelligent Analysis	USB Device, Network Motion Detection, Video Loss, Alarm in, Alarm out, IVS (by camera) Disk Alarm, IP Address Conflict, Network Disconnect Intrusion detection (support the accurate	
Backup Mode Alarm General Alarm Abnormal Alarm Intelligent Analysis Network	USB Device, Network Motion Detection, Video Loss, Alarm in, Alarm out, IVS (by camera) Disk Alarm, IP Address Conflict, Network Disconnect Intrusion detection (support the accurate detection of vehicle and human) by NVR HTTP, HTTPS, TCP/IP, IPv4, UPnP, UDP, RTSP, SMTP, NTP, DNS, DHCP, P2P, IP Filter,	
Backup Mode Alarm General Alarm Abnormal Alarm Intelligent Analysis Network Network Function	Motion Detection, Video Loss, Alarm in, Alarm out, IVS (by camera) Disk Alarm, IP Address Conflict, Network Disconnect Intrusion detection (support the accurate detection of vehicle and human) by NVR HTTP, HTTPS, TCP/IP, IPv4, UPnP, UDP, RTSP, SMTP, NTP, DNS, DHCP, P2P, IP Filter, DDNS, 802.1X, SNMP, 3G/4G, PPPoE	

Storage	
HDD	1 SATA Ports, up to 12TB for each HDD
Interface	
Network	1 × RJ-45, 10/100 Mbps self-adaptive Ethernet port
PoE	4 Ports (IEEE 802.3af), 32W
HDMI	1
VGA	1
Audio I/O	1/1
Alarm I/O	4/1
USB	3 ports (USB 2.0 × 3)
General	
Power Supply	DC48V/1.25A
Power Consumption	< 15 W (without HDD)
Operating Conditions	-10 °C ~ 50 °C (14 °F ~ 122 °F)
Storage Conditions	Less than 90% RH
Certifications	CE/FCC
Dimensions	255 × 237 × 47.5 mm (10.04 × 9.33 × 1.87 inch)
Net Weight	0.9 kg (1.98 lb) without HDD

Dimensions (mm)





Rear Panel

